

NITECORE®

TUP

1000

Lumens

Rechargeable

Revolutionary Intelligent Pocket Light



NITECORE®

TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light



Utilizes a CREE XP-L HD V6 LED to emit a max output of

1000 Lumens

Equipped with a total reflective optic lens for a max throw of 180 meters.

Note: The stated data is measured in accordance with the international flashlight testing standards ANSI/NEMA FL1, using the built-in Li-ion battery (3.7V 1,200mAh) under laboratory conditions. The data may vary in real world use due to different battery usage or environmental conditions.

This picture is the intellectual property of Nitecore. All rights to take legal action are reserved.

Multifunctional OLED Real-time Display



Battery Level & Voltage



Brightness Level



User Mode



Runtime Remaining

Two Lockout Modes Available

Inherited from the NITECORE Flagship Product TM10K



Half Lockout Mode (Lockout 1)

The Power Button is unavailable to activate the flashlight. Holding the Mode Button is still available for accessing TURBO for tactical or emergency needs.



Full Lockout Mode (Lockout 2)

When in Full Lockout Mode, both buttons are unavailable to activate the flashlight so that TUP can be stored in the backpack.


NITECORE®

Advanced Power Cut-Off (APC) Technology

An ultra-low parasitic drain of 1 μ A provides a unique and unprecedented user experience in the standby status.



TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light



The built-in Li-ion battery of

1200 mAh offers a runtime up to 70 hours.

≈ 2 ×  RCR123 batteries

Note: The stated data is measured in accordance with the international flashlight testing standards ANSI/NEMA FL1, using the built-in Li-ion battery (3.7V 1,200mAh) under laboratory conditions. The data may vary in real world use due to different battery usage or environmental conditions.

This picture is the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®

TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light



Deep Carry Pocket (DCP) Clip For Multi-Purposes



Everyday Carry
(EDC)



As a Cap Light
for Fishing and Angling



Compact and Lightweight

Weight: 53.2g(1.88oz) (Including the clip)

Size: 70.3mmx29.5mmx26.2mm
(2.77" x1.16" x1.03") (Including the clip)

Two Colors Available:

○ Hi-Tech Black ● Metallic Gray



NITECORE®

TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light



High-Strength Aluminum Alloy Shell

Scratch Resistant HA III Hard-Anodized Finish



Rubber Cover on the USB Charging Port

Provides outstanding water, dust and impact resistance.

Two User Modes Available



DAILY Mode

For outdoor and long-time illumination



DEMO Mode

For EDC and short-time illumination

Direct Access to TURBO / ULTRALOW



● TURBO

In any status, press and hold the Mode Button to access TURBO of 1,000 lumens. Release to return to previous status. (Available for outdoor and long-range searching)



✱ ULTRALOW

When the light is off, long press the Power Button to directly access ULTRALOW of 1 lumen. (Available for short-range illumination to protect the scotopic vision)

5 Brightness Levels Available for Various Scenarios



TURBO

1000 Lumens



HIGH

200 Lumens



MID

65 Lumens



LOW

15 Lumens



ULTRALOW

1 Lumen

* TURBO Level is independently controlled.





Multiple Micro-USB Charging Safeguards

- Intelligent Protective Charging Circuit
- Over-discharge Protection
- Overcharge Protection
- Short-circuit Protection
- Automatic termination upon charging completion

NITECORE®

TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light

Continuously Powered by Multiple Sources

Get out of the outdoor illuminating predicament and enjoy the inexhaustible power supply on the go even in the charging status.

The USB charging stand is recommended as an optional accessory to turn it into a reading lamp.



This picture is the intellectual property of Nitecore. All rights to take legal action are reserved.

Highly Efficient Constant Current Circuit (Non-PWM)


The constant brightness beam without flashing guarantees the comfortable visual experience.



TUP
(Constant Brightness Without Flashing)



Conventional LED
(Flashing Brightness)



ATR (Advanced Temperature Regulation)

(Patent No. ZL201510534543.6)

Integrated ATR technology regulates the output of TUP according to the working condition and ambient environment, thus maintaining the optimal performance.

NITECORE®

TUP
1000 Lumens
Rechargeable
Revolutionary Intelligent Pocket Light



Solid Stainless-Steel
Ring Pull

Able to withstand up to

30 kilograms
of weight



This picture is the intellectual property of Nitecore. All rights to take legal action are reserved.



TUP SPEC.

FL1 STANDARD	TURBO	HIGH	MID	LOW	ULTRALOW
	1000 Lumens	200 Lumens	65 Lumens	15 Lumens	1 Lumen
	15 min	3 h	9 h 45 min	19 h	70 h
	180 m	75 m	46 m	22 m	7 m
	8130 cd	1425 cd	530 cd	130 cd	12 cd
	1 m (Impact Resistance)				
	IP54 Rated				

Note: The stated data is measured in accordance with the international flashlight testing standards ANSI/NEMA FL1, using the built-in Li-ion battery (3.7V 1,200mAh) under laboratory conditions. The data may vary in real world use due to different battery usage or environmental conditions.

* The runtime for TURBO mode is tested without the temperature regulation.

Features

- Revolutionary Intelligent Pocket Light
- Utilizes a CREE XP-L HD V6 LED with a max output of 1,000 lumens
- Max beam intensity of 8,130cd and max throw distance of 180 meters
- Utilizes a total reflective optic lens for uniform and soft light
- Multifunctional OLED real-time display for lumens, battery voltage and runtime etc.
- Built-in 1,200mAh Li-ion battery
- Advanced Power Cut-Off (APC) technology for an ultra-low parasitic drain
- Built-in Li-ion battery charging circuit with a Micro-USB port
- High efficiency constant circuit provides stable output up to 70 hours
- 2 user modes available (DEMO Mode and DAILY Mode)
- Dual side switch design
- 5 brightness levels available with direct access to TURBO
- Intelligent mode memory function
- 2 lockout modes available (Half Lockout Mode and Full Lockout Mode)
- Incorporated Advanced Temperature Regulation (ATR) module (Patent No. ZL201510534543.6)
- Metal ring pull able to withstand up to 30 kilograms of weight
- HA III hard-anodized finish
- Impact resistant to 1 meter



Package List

TUP x 1
Clip x 1 (Mounted on the Product)
Key Clasp x 1

