



NITECORE® T SERIES

TUBE 55 Lumens
V2.0




- Infinite Variable Brightness
- USB Rechargeable



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

Brighter, Charges Faster and Lasts Longer



	TUBE	TUBE v2.0
Max Output	45 Lumens	55 Lumens
Charging Time	2h	1h 30min
Max Runtime	48h	58h



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®
TUBE 55 Lumens
V2.0 



High performance LED

Max output of 55 lumens

For household use, outdoor adventure and emergency lighting

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.


NITECORE®
TUBE 55 Lumens
V2.0 



Beam angle up to
100°

Provides flawless wide beam to
illuminate peripheral vision

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.



Advanced Power Cut-Off (APC) Technology

An ultra-low parasitic drain of $1\mu\text{A}$ provides a 365-day ready experience in the standby status



Integrated USB Charging Circuit

Built in high efficiency Li-ion battery

- Provides runtime of up to 58 hours

Intelligent protective circuit

- Over-discharge protection
- Overcharge protection
- Short circuit protection
- Ceases charging automatically when power level reaches 100%

Integrated blue power indicator

- Illuminates steadily during charging
- Goes out automatically when charging is completed

NITECORE®
TUBE 55 Lumens
V2.0 

Ultra Tiny and Lightweight

Weighs only 0.34oz (9.6g) with battery
Comes in 2.2" x 0.83" (5.6cm x 2.1cm)



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

One Hand Operation with Your Fingertips

LOW Level

When the light is off, press the Power Button to access the LOW Level.

HIGH Level

When the light is off, double press the Power Button to access the HIGH Level.

Momentary Illumination

When the light is off, press and hold the Power Button for over 1 second to access the HIGH Level of 55 lumens.

Infinitely Variable Brightness

When the light is off, short press and then long press the Power Button to access the adjustment of the Infinitely Variable Brightness, and release to select the current brightness level.



NITECORE®
TUBE 55 Lumens
V2.0



Multiple Colors Available

Durable casing made of Polycarbonate materials of high strength and elastic coefficient

*Polycarbonate is a transparent material with outstanding impact resistance, mainly used for electronics, security and aircraft as well as medical applications. It can be found in CDs/DVDs, police riot gears and sporting helmets/masks.

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®
TUBE 55 Lumens
V2.0 



Stainless Steel Key Ring Connector

Withstands up to 77lbs (35kg) of Weight

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.


NITECORE® TUBE 55 Lumens V2.0

- Constructed from extremely lightweight polycarbonate materials (Dimensions: 2.22" x 0.83" Weight: 0.34oz)
- USB rechargeable
- Integrated high efficiency Li-ion battery provides maximum runtime up to 58 hours
- 1-55 lumens infinitely variable brightness
- Stainless steel key ring connector withstands 77lbs weight
- Multiple colors available



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE® TUBE 55 Lumens V2.0



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®
TUBE 55 Lumens
V2.0



TUBE v2.0 SPEC.

FL1 STANDARD	HIGH	LOW
	55 Lumens	1 Lumens
	1h 15min	58h
	25m	3m
	156cd	2.2cd
	1m (Impact Resistance)	
	IP65 (Rating)	

NOTE:
The stated data is measured in accordance with the international flashlight testing standards ANSI/NEMA FL1, using the built-in Li-ion battery (125mAh) under laboratory conditions. The data may vary in real world use due to different battery usage or environmental conditions.

These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.

NITECORE®
TUBE 55 Lumens
V2.0 

New Package

Package Dimensions: 140mmx85mmx12mm
(5.51"x3.35"x0.47")

Package Weight: 21.6g (0.76oz)



These images are for guide purpose only, actual result may vary depending on ambient factors.
They are the intellectual property of Nitecore. All rights to take legal action are reserved.